

> k64 Performance Head Gasket FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52

## k64 Performance Head Gasket FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52



Model : -

k64 Performance Head Gasket FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00  
1,5mm - m50 m52

Producent : -

Uszczelka Głowicy + Ringi dla silnika m50 / m52 vanos lub NV

k64 Performance Head Gasket + FireRing / CUTRING / ORING / PIRAMIDSRING  
system - full set

the latest version of k64spec headgaskets+cutrings system. Channels in the block and orings are the best method for the largest boost. Forged full water and oil canals. We guarantee boost for over 2 bars. For use only with ARP M10 / M11 pins. Set Under each bore type: 84mm 84.5mm 85mm 85.5mm 86mm 86.5mm. For M50 / M52 engines (vanos and singlevanos). Welcome!

size CYLINDERBORE options: 84.00 - 86.50 1,5mm - m50 m52  
rozmiar do wyboru: 84-86.50 , 1,5mm - m50 m52

Grubość uszczelki: 1,5mm  
Dla średnicy tłoka: 84-86,5

Wymagane wyczynowe szpilki ARP! + klej loctite (Dostępne na naszym sklepie)

Jedyna i najlepsza opcja na świecie, nasz patent dokładnie sprawdzony. Kosztował wiele testów i wielkich boostów ;)

Całkiem inne wysokości i kształty piramidki / ringów niż ma to w przypadku popularnych uszczelki konkurencji !

100% niezawodna i przetestowana przy 2,2 bara !

Wymagana obróbka BLOKU (przy rozwiercie) na podFREZOWANIE pod ORING / PIRAMIDKE z zestawu.

WYmiary i specyfikacje udostępniamy pod zakupie oczywiście po określeniu wielkości rozwiertu.

Super mocny materiał.

Jedyna opcja na uszczelnienie cylindrów w 6 cyl bmw.


Customowa uszczelka pod głowice z zakutymi miedzią kanałami wodnymi i olejowymi. !!!

The most reliable method for a big boost.

Block machining required. Here we sell a full set. Instructions for making the block machining included.



> k64 Performance Head Gasket FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52

**k64 Performance Head Gasket FireRing / CUTRING / ORING /  
PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52**





> k64 Performance Head Gasketed FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52

**k64 Performance Head Gasketed FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52**



> k64 Performance Head Gasketed FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52

**k64 Performance Head Gasketed FireRing / CUTRING / ORING /  
PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52**




> k64 Performance Head Gasketed FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52

**k64 Performance Head Gasketed FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52**



Obró  
CUTR

Mech  
O-rin



Założony ORING  
ORING installed

Miejsce



ORING installed

> k64 Performance Head Gasket FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52

## k64 Performance Head Gasket FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52



Założo  
uszcz  
z nasz  
loctite

installed  
with wat  
impregn  
head stu



> k64 Performance Head Gasket FireRing / CUTRING / ORING / PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52

**k64 Performance Head Gasket FireRing / CUTRING / ORING /  
PIRAMIDSRING 84.00 - 87.00 1,5mm - m50 m52**



&nbsp;

**Cena : 1.200,00 zł Brutto ( 975,61 zł Netto)**

---

*Dostępność: Produkt dostępny w naszym sklepie od 04 stycznia 2016*